



Air Conditioning

頑張る
Perseverance

Innovative and efficient

In every Daikin air conditioner, our high-performance, high-efficiency compressor operating in tandem with our high efficiency coil design. This innovative system offers one of the best levels of reliability, durability and efficiency we offer in our split air conditioners. With a wide range of characteristics and efficiency classifications available, Daikin has air conditioners that adapt to any light commercial application.



Rust-resistant coated screws



Steel louver coil guard



Filter drier



Nickel Gray powder-paint finish



Top and side maintenance access



Central air conditioning system **DX16SA**

High performance and durable

The DX16SA air conditioner has an energy efficient compressor that offers up to 16 SEER performance. Its 5 millimeter refrigeration-grade premium copper tubing and aluminum fin condenser coil configuration delivers outstanding heat transfer properties with R-410A, a chlorine-free refrigerant. The special grooved aluminum tubing provides efficient cooling and durability for long lasting comfort. While its heavy-gauge galvanized steel enclosure with sound control and baked enamel finish protects the system from damage and strengthens the unit.



Features

- > 500-hour salt-spray tested
- > Aluminum fin condenser coil
- > Single-speed PSC condenser fan motor
- > Wire fan discharge grille



Air handler ASPT

Installing the correct air handler is essential for getting the highest level of comfort from your central air conditioning. The Daikin brand ASPT air handler features a 21" deep cabinet for easy attic access and includes a direct-drive, multi-speed motor for air volume variation. The ASPT may be installed in a variety of locations and configurations.

Foil-faced insulation covers the entire blower case to reduce operating sound and cabinet condensation.



Screw-less sides and back helps to reduce condensation when installed in humid locations.



ECM blower motor



Thermoplastic drain



Horizontal or vertical configuration



All-aluminum evaporator coil



Technical Specs

DX16SA Compressor

Up to 16 SEER*

Model	Nominal Capacity	Electrical Features	Width	Dimensions			Coil Connections		Weight	Sound Pressure Level
				Depth	Height	Liquid	Suction			
DX16SA0181A*	18,000 BTU/h	208/230-1 V	737 mm	737 mm	819 mm	9.5 mm	19.1 mm	74 Kg	74 dBS	
DX16SA0241A*	23,600 BTU/h	208/230-1 V	737 mm	737 mm	819 mm	9.5 mm	19.1 mm	73 Kg	73 dBS	
DX16SA0301A*	29,000 BTU/h	208/230-1 V	737 mm	737 mm	921 mm	9.5 mm	22.2 mm	76 Kg	76 dBS	
DX16SA0361A*	34,800 BTU/h	208/230-1 V	737 mm	737 mm	972 mm	9.5 mm	22.2 mm	82 Kg	82 dBS	
DX16SA0421A*	42,000 BTU/h	208/230-1 V	902 mm	902 mm	921 mm	9.5 mm	22.2 mm	103 Kg	103 dBS	
DX16SA0481A*	45,500 BTU/h	208/230-1 V	902 mm	902 mm	921 mm	9.5 mm	22.2 mm	109 Kg	109 dBS	
DX16SA0601A*	54,000 BTU/h	208/230-1 V	902 mm	902 mm	972 mm	9.5 mm	22.2 mm	137 Kg	137 dBS	
DX16SA0611A*	57,000 BTU/h	208/230-1 V	902 mm	902 mm	972 mm	9.5 mm	22.2 mm	142 Kg	142 dBS	

ASPT Air Handler

Model	Nominal Capacity	Electrical Features	Dimensions			Coil Connections			Weight
			Width	Depth	Height	Liquid	Suction	Drain (FPT)	
ASPT29B14	24,000 BTU/h	208/240-1 V	445 mm	533 mm	1346 mm	9.5 mm	22.2 mm	19.05 mm	59 Kg
ASPT30B14	24,000 BTU/h	208/240-1 V	445 mm	533 mm	1343 mm	9.5 mm	22.2 mm	19.05 mm	54 Kg
ASPT47C14	42,000 BTU/h	208/240-1 V	533 mm	533 mm	1346 mm	9.5 mm	22.2 mm	19.05 mm	65 Kg
ASPT49D14	48,000 BTU/h	208/240-1 V	622 mm	533 mm	1473 mm	9.5 mm	22.2 mm	19.05 mm	76 Kg
ASPT61D14	60,000 BTU/h	208/240-1 V	622 mm	533 mm	1473 mm	9.5 mm	22.2 mm	19.05 mm	76 Kg

* The compressor's energy efficiency (SEER) is determined by the air handler.



Warrants that the product complies with safety standards.



Certifies that the product has been tested and performs accurately and consistently.

*Our commitment to continuous improvements can mean changes in specifications without notice.



Daikin is the world's leader in Air Conditioning. We are devoted to deliver outstanding products and innovative home, business, and industrial solutions.

Defy your limits
www.daikinlatam.com